

Integrable Quantum Field Theoretic Models in 1+1 Dimensions

M. Karowski¹ ²

Institut für Theoretische Physik

Freie Universität Berlin, Arnimallee 14, 14195 Berlin, Germany

October 1998

¹e-mail: karowski@physik.fu-berlin.de

²www.physik.fu-berlin.de/~karowski

Contents

1 Classical Field Theory	4
1.1 Examples	4
1.1.1 Korteweg - de Vries equation (KdV)	4
1.1.2 Nonlinear Schrödinger equation (NS)	4
1.1.3 Sine-Gordon equation (SG)	5
1.1.4 Affine Toda models	5
1.1.5 Nonlinear sigma model (NLS)	5
1.1.6 Massive Thirring model (MT)	5
1.1.7 O(2N)-Gross-Neveu model (GN)	6
1.1.8 SU(N)-Chiral Gross-Neveu model (CGN)	6
1.2 Soliton behavior	6
1.2.1 Korteweg - de Vries equation	6
1.2.2 Sine-Gordon solitons	7
1.3 Inverse scattering method	9
1.3.1 The direct scattering problem	9
1.3.2 The inverse scattering problem	9
1.3.3 Application to nonlinear classical wave equations	10
1.4 Infinitely many conservation laws	12
1.4.1 Sine-Gordon model	12
1.4.2 Massive Thirring model	13
2 Quantum Field Theory	15
2.1 Quantum conservation laws	15
2.1.1 The higher charges on scattering states	15
2.1.2 BPHZ renormalization	16
2.2 Factorization of the S-matrix	22
2.2.1 One particle	23
2.2.2 Two particles	23
2.2.3 Three particles: Yang-Baxter equation	24
2.2.4 n-particles	25
2.3 Exact S-matrices	25

CONTENTS	3
-----------------	----------

2.3.1	Motivations	25
2.3.2	Assumptions for relativistic factorizing S-matrices	31
2.4	Examples of exact S-matrices	33
2.4.1	Nonlinear Schrödinger equation (NS)	33
2.4.2	Massive Thirring model (MT)	36
2.4.3	Sine-Gordon equation (SG)	42
2.4.4	Z(N)-Ising model (ZN)	47
2.4.5	Toda models	49
2.4.6	Nonlinear sigma model (NLS)	49
2.4.7	O(2N)-Gross-Neveu model (GN)	52
2.4.8	Chiral Gross-Neveu model (CGN)	62
3	Form Factors	65
3.1	Introduction	65
3.2	Two-particle form factors	67
3.2.1	The general solution	68
3.2.2	Examples of two-particle form factors	73
3.3	Generalized Form Factors	79
3.3.1	Pure Bosonic Form Factors	79
3.3.2	The auxiliary form factor function	83
3.3.3	The general bosonic and fermionic case	92
3.4	The general formula for SG	95
3.4.1	The “Off-shell Bethe Ansatz”	96
3.4.2	The general formula	98
3.4.3	Examples	114
4	Green’s functions	123
4.1	Example	123
4.1.1	Form factors for the $Z(2)$ -Ising model	123
4.1.2	Green’s function for the $Z(2)$ -Ising model	124